Amendments to the Claims

Claim 1 (original): A method of automated isotope dilution mass spectrometry comprising providing a sample to be analyzed,

spiking at least one enriched stable isotope of an element or specie related

to said sample,

sample.

introducing said spiked enriched stable isotope elements or species into said sample and permitting equilibrium to occur therebetween,

subjecting said equilibrated spikes and sample to atmospheric pressure ionization to create ions therefrom,

introducing said ions into a mass spectrometer for isotopic ratio determination, and

delivering information from said determination to a microprocessor.

Claim 2 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

employing a liquid sample as said sample.

Claim 3 (original): The method of automated isotope dilution mass spectrometry of claim 2 including

employing an aqueous solution as said sample.

Claim 4 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

effecting said spiking on multiple enriched stable isotopic elements.

Claim 5 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

effecting said spiking on multiple enriched stable isotopic species.

Claim 6 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

employing said process to detect levels of one or more contaminants in a

Claim 7 (original): The method of automated isotope dilution mass spectrometry of claim 6 including



detecting said contaminants at near instrument detection limits.

Claim 8 (original): The method of automated isotope dilution mass spectrometry of claim 6

including

detecting said contaminants at ultra-trace levels.

Claim 9 (original): The method of automated isotope dilution mass spectrometry of claim 1

including

after said equilibration but before said ionization, preconcentrating said

elements or species.

Claim 10 (original): The method of automated isotope dilution mass spectrometry of claim 9

including

effecting said preconcentration through liquid chromatography.

Claim 11 (original): The method of automated isotope dilution mass spectrometry of claim 9

including

separating at least one specie of interest by said preconcentration.

Claim 12 (original): The method of automated isotope dilution mass spectrometry of claim 1

including

employing said method in qualitative analysis of said elements or species.

Claim 13 (original): The method of automated isotope dilution mass spectrometry of claim 1

including

employing said element in quantitative analysis of said elements or

species.

Claim 14 (original): The method of automated isotope dilution mass spectrometry of claim 1

including

employing information received by said microprocessor to control

operation of portions of said method.

Claim 15 (original): The method of automated isotope dilution mass spectrometry of claim 1

including

obtaining said sample from a system being monitored, and

delivering a portion of the information received by said microprocessor to said system from which the sample was obtained.

Claim 16 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

employing said method to monitor concentration of contaminants in a plurality of wet baths employed in clean rooms in semiconductor manufacture.

Claim 17 (original): The method of automated isotope dilution mass spectrometry of claim 16 including

employing said method sequentially on a plurality of said wet baths.

Claim 18 (original): The method of automated isotope dilution mass spectrometry of claim 16 including

employing said method simultaneously on a plurality of said wet baths.

Claim 19 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

employing a gaseous specimen as said sample.

Claim 20 (original): The method of automated isotope dilution mass spectrometry of claim 1 including

employing electrospray ionization as said atmospheric pressure ionization.

Claim 21 (currently amended): The method of automated isotope dilution mass spectrometry of claim 5 including

effecting said ionization at about 2 to 30 volts.

Claim 22 (currently amended): The method of automated isotope dilution mass spectrometry of claim 4 including

effecting said ionization at about 200 to 1,000 volts.

Claim 23 (original): The method of automated isotope dilution mass spectrometry of claim 16 including

employing said method` to determine which said bath was the origin of said species or elements.

Claim 24 (currently	amended): The method of automated isotope dilution mass-spectrometry
of claim 1 including	
	A method of automated isotope dilution mass spectrometry comprising
	providing a sample to be analyzed,
	spiking at least one enriched stable isotope of an element or specie related
to said sample,	
	introducing said spiked enriched stable isotope elements or species into
said sample and perm	itting equilibrium to occur therebetween,
	subjecting said equilibrated spikes and sample to atmospheric pressure
ionization to create io	ns therefrom,
	introducing said ions into a mass spectrometer for isotopic ratio
determination, and	
	delivering information from said determination to a microprocessor, and
	in effecting said equilibrium equilibrating at least one said spiked enriched
stable isotopic specie	or element dynamically with a specie or element contained within sample.
Claim 25 (original):	Apparatus for automated isotope dilution mass spectrometry comprising
	sample receiving apparatus,
	spike introduction apparatus for introducing at least one spiked enriched
stable isotope elemen	t or specie into said sample for permitting equilibration therebetween,
	an atmospheric pressure ionizer for receiving said equilibrated sample and
spiked elements or sp	ecies and ionizing the same,
	a mass spectrometer for receiving and processing said ions by isotope ratio
determination, and	
	a microprocessor for receiving information about said determination from
said mass spectromete	er.

Claim 26 (currently amended): The automated isotope dilution mass spectrometry apparatus
of claim 25 including
Apparatus for automated isotope dilution mass spectrometry comprising
sample receiving apparatus,
spike introduction apparatus for introducing at least one spiked enriched
stable isotope element or specie into said sample for permitting equilibration therebetween,
an atmospheric pressure ionizer for receiving said equilibrated sample and
spiked elements or species and ionizing the same,
a mass spectrometer for receiving and processing said ions by isotope ratio
determination,
a microprocessor for receiving information about said determination from
said mass spectrometer,
a sample analyzer for analyzing said sample and delivering sample
analysis information to said microprocessor.
Claim 27 (original): The automated isotope dilution mass spectrometry apparatus of claim 26
including
a controller for receiving information processed by said microprocesso
and providing feedback to other portions of said apparatus.
Claim 28 (currently amended): The automated isotope dilution mass spectrometry apparatus
of claim 25 including
a controller for receiving information processed by said microprocesso
and providing feedback to other portions of said apparatus, and
sample modification apparatus for altering characteristics of said sample
responsive to signals from said controller prior to the sample entering said atmospheric pressure
ionizer.
Claim 29 (currently amended): The automated isotope dilution mass spectrometry apparatus
of claim 28 including

said controller coordinating operation of said sample receiving apparatus, said spike introduction apparatus, said ehemical sample modification apparatus, said atmospheric ion generator and said mass spectrometer.

Claim 30 (currently amended): The automated isotope dilution mass spectrometry apparatus of claim 29 including

solution handling apparatus interposed between said chemical <u>sample</u> modification apparatus and said atmospheric ion generator, and

at least one chromatograph operatively associated with said solution handling unit for preconcentrating said equilibrated sample and spiked enriched stable isotope elements or species prior to delivery to said atmospheric ion generator.

Claim 31 (original): The automated isotope dilution mass spectrometry apparatus of claim 30 including

said chromatograph including at least one chromatograph selected from the group consisting of a liquid chromatograph and a gas chromatograph.

Claim 32 (original): The automated isotope dilution mass spectrometry apparatus of claim 30 including

said sample receiving apparatus having a first outlet conduit in communication with said spike introduction apparatus which in turn has an outlet conduit in communication with said chemical modification apparatus and a second conduit in communication with said chemical modification apparatus whereby a sample may be admixed with said spiked enriched stable isotope elements or species in effecting quantitative analysis and may be introduced directly into said chemical modification apparatus without admixture with said spiked elements or species for effecting qualitative analysis.

Claim 33 (original): The automated isotope dilution mass spectrometry apparatus of claim 25 including

said atmospheric ion generator being an electrospray ionizer.

Claim 34 (original): The automated isotope dilution mass spectrometry apparatus of claim 25 including

said almospheric ion generator being structured to operate at a first voltage when effecting ionization of multiple enriched stable isotopic elements and a lower second voltage when ionizing multiple enriched stable isotope species.

Claim 35 (currently amended): The automated isotope dilution mass spectrometry apparatus of claim 34 including

said first voltage being about 200 to 1,000 volts and said second voltage being about 2 to 30 volts.

Claim 36 (original): The automated isotope dilution mass spectrometry apparatus of claim 25 including

a system interface for receiving information from said microprocessor and providing feedback to the system being monitored.

Claim 37 (original): The automated isotope dilution mass spectrometry apparatus of claim 36 including

said system interface having a warning capability if the concentration of a monitored contaminant approaches a tolerable upper limit thereof and an alarm capability if the concentration of said contaminant reaches or exceeds the tolerable upper limit.

Claim 38 (original): The automated isotope dilution mass spectrometry apparatus of claim 25 including

said atmospheric ion generator being atmospheric pressure chemical ionizer.

